

SERIES

CF系列交流伺服电机

创新 科技 力量




FAD?



RA

Focus on industry and empower intelligent manufacture



2011

2023 11

■ ASIC SOC
■ AMR /

QP

							
/ Bytes							
	I /Q /M						
		/					
		/					
	EtherCAT 1ms						
EtherCAT	EtherCAT						
CANOpen							
	bps						
	COM1,COM2						
		COM3					
	COM1,COM2						
	COM1,COM2						
		COM3					

		COM1,COM2			
		COM3			
		COM1,COM2			
		COM3			
	55				
	25				
	0				
			✓	✓	✓
	Modbus TCP/IP		✓	✓	✓
	OPC UA		✓	✓	✓
	EtherNet/IP Scanner Adapter		✓	✓	✓
	EtherCAT			✓	✓
IP	Q0P&Q1P PORT1 PORT2 IP:192.168.88.100				
5V					

[illegible]

IO	
ON	
OFF	

IO	
ON	
OFF	

[illegible]

mm		





Q0P/Q1P


bps		


QP

QP








			
	EtherCAT		
*1		ID OD D AD D T	
	T		
QBUS			
QBUS		U	
NXE OUT			
NXE OUT			
COE		✓	
FOE		✓	
	Free-run	✓	
	SM-Synchron	✓	
	DC		
QBUS			
QBUS	A		
		✓	

		
	75%	
	50%	
OFF		
OFF		
ON		
ON		
ON/OFF		
QBUS		

		P	P		
		T			
			P		✓
()		T P			
()		T P			
COE		✓			
FOE		✓			
QBUS					

IO		
	ON /ON	
	OFF /OFF	
	ON/OFF	
IO		
		NPN
	OFF	
	ON/OFF	




NXE

The diagram illustrates the hierarchical breakdown of the identifier "HCNxE-ID32-D". At the top level, it is shown as a single entity. This entity is decomposed into five segments: "H", "C", "N", "E", and "ID32-D". Each segment is represented by a circle containing a dot. Below this row, each segment is further detailed in a separate box:


- "H" is defined as "Host Controller".
- "C" is defined as "Channel".
- "N" is defined as "Node".
- "E" is defined as "Endpoint".
- "ID32-D" is defined as "Identifier (32-bit) - Data".

[illegible]




NXE


NXE 16




NXE 16



NXE 32



NXE 32



Q EtherCAT

HCQX-EC01-D4			EtherCA
HCQX-EC02-D4			EtherCA
HCQX-EC03-D4			EtherCA

Q

HCQX-ES06-D4	EtherCA	

Q IO

	HCQX-ID16-D4						
	HCQX-ID32-D4						
	HCQX-OD16-D4					NPN	
	HCQX-OD16-D4-PNP					PNP	
	HCQX-OD32-D4				NPN		
	HCQX-OD32-D4-PNP				PNP		
	HCQX-MD16-D4	S				NPN	
	HCQX-MD16-D4-PNP					PNP	
	HCQX-MD32-D4				NPN		
	HCQX-MD32-D4-PNP				PNP		
	HCQX-OC08-D4						

Q (

|--|--|--|--|--|--|--|--|

NXE IO

	HCNXE-ID16-D						
	HCNXE-ID32-D						
	HCNXE-OD16-D					NPN	
	HCNXE-OD32-D						
	HCNXE-MD0808-D					NPN	38
	HCNXE-MD1616-D						
	HCNXE-MD2408-D						

NXE

HCNXE-PRO16		
HCNXE-PRO32		

18PIN	HCQXT-18P-N		
	HCQX-END04		
DC24V	HCQX-3P-N	HC	C